

Acquisition of Founders Bridge Utility Company

APPENDIX B



**Chesterfield County, Virginia
Utilities Department**

9840 Government Center Parkway – P.O. Box 608 – Chesterfield, Va. 23832-0009
Phone: (804) 748-1291 – Fax: (804) 751-4607 – Internet: chesterfield.gov

ROY E. COVINGTON, P.E.
Director

FILE COPY

August 11, 2006

Mr. Charles W. Ewing, II, President
Gray Co., Inc.
5004 Monument Ave., Suite 200
Richmond, VA 23230

CERTIFIED MAIL

Re: Water & Wastewater Contract – Powhatan Development

Dear Mr. Ewing:

The water and wastewater contract between Gray Land and Development Company (GLDC) and the County of Chesterfield provides for the delivery of water up to 180,000 gallons per day for the Powhatan development. The contract requires that GLDC implement all measures necessary to insure that water use on any day does not exceed the contract amount. Metering records since August 1, 2005 indicate that the volume of water used exceeded the maximum amount on 58 days. In accordance with the contract, Chesterfield County hereby provides GLDC written notice that the volume of water use exceeds the contract capacity.

There are two issues of concern. The first issue is that Gray Land and Development Company must immediately pay appropriate connection fees to increase current contracted capacity from 135,000 gallons per day to the maximum allotment of 180,000 gallons per day for water service. These fees amount to \$261,707.20 for water capacity and \$146,854.21 for wastewater capacity. Please make these payments within 30 days of receipt of this letter.

The second issue is capacity limitation. It is critical that Gray Land and Development Company initiate steps to reduce water usage to the maximum contract allotment of 180,000 gallons per day. As you know, this is the second summer in a row in which we have had to provide you with this notice. We can see no evidence that GLDC has taken steps to correct this problem.

Page 2

August 11, 2006

Mr. Charles W. Ewing, II, President
Gray Co., Inc.

The capacity limits established in the contract are based on the utility system's physical capability to meet your development's demand as well as the Chesterfield County utility customers in the same service zone. When GLDC fails to limit its usage as required by the contract, it negatively affects our ability to meet our own customer demands. In order to resolve this issue promptly, we are requiring that you provide us within 30 days a written action plan to limit total usage to 180,000 gallons per day. Please be advised the terms of the contract allow Chesterfield County to enforce this capacity limitation. We will take the necessary action to enforce the capacity limitations if it becomes necessary.

If you have any questions or need additional information, please contact me at 748-1416.

Sincerely,

Roy E. Covington, PE
Director of Utilities

cc Lane B. Ramsey, County Administrator
M. D. "Pete" Stith, Deputy County Administrator
Stylian Parthemos, Senior Assistant County Attorney
Carolyn Cios, Powhatan County Administrator

REC/cdg

Founders Bridge Daily Water Usage

Date	Consumption (gals)	Date	Consumption (gals)	Date	Consumption (gals)
6/1/07	132,396	7/19/07	149,600	9/5/07	182,512
6/2/07	134,640	7/20/07	150,348	9/6/07	108,460
6/3/07	195,228	7/21/07	189,992	9/7/07	185,504
6/4/07	136,136	7/22/07	185,504	9/8/07	195,976
6/5/07	146,608	7/23/07	149,600	9/9/07	192,236
6/6/07	103,224	7/24/07	179,520	9/10/07	154,836
6/7/07	103,972	7/25/07	167,552	9/11/07	198,968
6/8/07	184,756	7/26/07	100,232	9/12/07	183,260
6/9/07	112,200	7/27/07	168,300	9/13/07	107,712
6/10/07	145,112	7/28/07	164,560	9/14/07	195,228
6/11/07	166,804	7/29/07	163,812	9/15/07	115,940
6/12/07	128,656	7/30/07	108,460	9/16/07	157,080
6/13/07	160,820	7/31/07	107,712	9/17/07	110,704
6/14/07	94,248	8/1/07	172,788	9/18/07	193,732
6/15/07	166,056	8/2/07	115,192	9/19/07	167,552
6/16/07	172,788	8/3/07	198,968	9/20/07	111,452
6/17/07	187,748	8/4/07	147,356	9/21/07	168,300
6/18/07	146,608	8/5/07	195,228	9/22/07	157,828
6/19/07	191,488	8/6/07	168,300	9/23/07	163,812
6/20/07	198,968	8/7/07	174,284	9/24/07	122,672
6/21/07	124,168	8/8/07	182,512	9/25/07	179,520
6/22/07	161,568	8/9/07	124,916	9/26/07	178,024
6/23/07	171,292	8/10/07	162,316	9/27/07	111,452
6/24/07	176,528	8/11/07	160,820	9/28/07	194,480
6/25/07	185,504	8/12/07	196,724	9/29/07	156,332
6/26/07	158,576	8/13/07	142,868	9/30/07	183,260
6/27/07	180,268	8/14/07	204,952	10/1/07	152,592
6/28/07	107,712	8/15/07	197,472	10/2/07	182,512
6/29/07	166,056	8/16/07	106,964	10/3/07	168,300
6/30/07	112,948	8/17/07	194,480	10/4/07	99,484
7/1/07	139,128	8/18/07	187,000	10/5/07	160,820
7/2/07	124,168	8/19/07	221,408	10/6/07	172,788
7/3/07	172,788	8/20/07	112,200	10/7/07	202,708
7/4/07	161,568	8/21/07	117,436	10/8/07	175,032
7/5/07	123,420	8/22/07	159,324	10/9/07	184,008
7/6/07	115,940	8/23/07	158,576	10/10/07	178,772
7/7/07	172,040	8/24/07	126,412	10/11/07	142,120
7/8/07	199,716	8/25/07	112,200	10/12/07	178,772
7/9/07	165,308	8/26/07	157,828	10/13/07	168,300
7/10/07	190,740	8/27/07	100,232	10/14/07	175,780
7/11/07	148,852	8/28/07	148,104	10/15/07	131,648
7/12/07	119,680	8/29/07	105,468	10/16/07	157,080
7/13/07	184,008	8/30/07	114,444	10/17/07	150,348
7/14/07	164,560	8/31/07	173,536	10/18/07	100,980
7/15/07	182,512	9/1/07	161,568	10/19/07	145,112
7/16/07	184,756	9/2/07	157,080	10/20/07	143,616
7/17/07	190,740	9/3/07	149,600	10/21/07	142,120
7/18/07	178,772	9/4/07	174,284	10/22/07	74,052

6/1/07 - 9/25/07 - Exceeded capacity cost 67 times @ \$300ea. = \$20,100 based on 157,500 gpd purchased.

9/25/07 - Grayland purchased remaining capacity of 180,000 gpd

9/26/07 - 10/9/07 - Exceeded capacity cost 5 times @ \$300 ea. = \$1,500 based on 180,000 gpd purchased.

Founders Bridge Daily Water Usage

Date	Consumption (gals)	Date	Consumption (gals)	Date	Consumption (gals)
10/23/07	150,348	12/10/07	20,786	1/27/08	19,386
10/24/07	159,324	12/11/07	21,190	1/28/08	18,575
10/25/07	77,792	12/12/07	21,810	1/29/08	19,921
10/26/07	71,060	12/13/07	21,466	1/30/08	18,021
10/27/07	53,856	12/14/07	21,485	1/31/08	16,422
10/28/07	62,832	12/15/07	22,316	2/1/08	17,087
10/29/07	41,140	12/16/07	23,171	2/2/08	16,762
10/30/07		12/17/07	23,325	2/3/08	18,126
10/31/07		12/18/07	22,216	2/4/08	19,221
11/1/07		12/19/07	24,114	2/5/08	18,162
11/2/07		12/20/07	24,081	2/6/08	17,956
11/3/07		12/21/07	25,466	2/7/08	16,641
11/4/07		12/22/07	26,593	2/8/08	19,560
11/5/07		12/23/07	26,501	2/9/08	19,634
11/6/07		12/24/07	25,944	2/10/08	19,050
11/7/07		12/25/07	28,457	2/11/08	17,809
11/8/07		12/26/07	27,422	2/12/08	16,800
11/9/07		12/27/07	26,915	2/13/08	16,564
11/10/07		12/28/07	26,472	2/14/08	17,525
11/11/07		12/29/07	25,541	2/15/08	80,842
11/12/07		12/30/07	24,262	2/16/08	66,531
11/13/07		12/31/07	21,660	2/17/08	18,739
11/14/07		1/1/08	23,613	2/18/08	17,924
11/15/07		1/2/08	23,911	2/19/08	20,251
11/16/07		1/3/08	22,599	2/20/08	16,895
11/17/07		1/4/08	21,032	2/21/08	18,664
11/18/07		1/5/08	18,637	2/22/08	16,134
11/19/07		1/6/08	20,972	2/23/08	17,527
11/20/07		1/7/08	18,677	2/24/08	18,347
11/21/07		1/8/08	19,229	2/25/08	19,564
11/22/07		1/9/08	19,105	2/26/08	18,204
11/23/07		1/10/08	17,478	2/27/08	18,002
11/24/07		1/11/08	17,914	2/28/08	18,346
11/25/07		1/12/08	17,259	2/29/08	17,773
11/26/07		1/13/08	19,467	3/1/08	17,211
11/27/07	21,391	1/14/08	19,584	3/2/08	18,642
11/28/07	22,795	1/15/08	16,811	3/3/08	19,181
11/29/07	24,195	1/16/08	16,653	3/4/08	17,855
11/30/07	21,107	1/17/08	16,639	3/5/08	16,956
12/1/07	23,082	1/18/08	15,097	3/6/08	17,525
12/2/07	22,373	1/19/08	16,279	3/7/08	18,382
12/3/07	22,485	1/20/08	16,426	3/8/08	23,401
12/4/07	21,689	1/21/08	17,666	3/9/08	18,333
12/5/07	19,676	1/22/08	17,867	3/10/08	19,345
12/6/07	19,095	1/23/08	25,110	3/11/08	17,728
12/7/07	20,693	1/24/08	17,068	3/12/08	18,408
12/8/07	21,131	1/25/08	17,514	3/13/08	18,660
12/9/07	21,636	1/26/08	17,844	3/14/08	19,765

In transition from manually getting daily readings to conversion to High Tide System

Founders Bridge Daily Water Usage

Date	Consumption (gals)	Date	Consumption (gals)	Date	Consumption (gals)
3/15/08	18,746	5/2/08	33,306	6/19/08	118,538
3/16/08	19,940	5/3/08	49,438	6/20/08	99,283
3/17/08	19,665	5/4/08	119,370	6/21/08	125,289
3/18/08	no data	5/5/08	136,250	6/22/08	103,993
3/19/08	19,044	5/6/08	73,739	6/23/08	103,275
3/20/08	18,466	5/7/08	57,555	6/24/08	118,777
3/21/08	21,343	5/8/08	54,488	6/25/08	117,123
3/22/08	23,401	5/9/08	56,242	6/26/08	119,667
3/23/08	21,503	5/10/08	39,920	6/27/08	128,600
3/24/08	18,824	5/11/08	34,156	6/28/08	142,477
3/25/08	23,612	5/12/08	25,659	6/29/08	136,352
3/26/08	21,912	5/13/08	31,875	6/30/08	110,426
3/27/08	22,679	5/14/08	26,677	7/1/08	124,121
3/28/08	28,302	5/15/08	41,447	7/2/08	121,069
3/29/08	23,010	5/16/08	27,032	7/3/08	129,192
3/30/08	31,745	5/17/08	36,771	7/4/08	135,973
3/31/08	25,302	5/18/08	26,667	7/5/08	135,881
4/1/08	27,417	5/19/08	33,405	7/6/08	132,193
4/2/08	28,014	5/20/08	51,401	7/7/08	65,016
4/3/08	34,545	5/21/08	56,241	7/8/08	69,097
4/4/08	31,800	5/22/08	52,186	7/9/08	85,690
4/5/08	31,227	5/23/08	64,862	7/10/08	59,995
4/6/08	26,664	5/24/08	77,491	7/11/08	59,998
4/7/08	26,416	5/25/08	84,586	7/12/08	88,892
4/8/08	32,516	5/26/08	72,193	7/13/08	93,286
4/9/08	26,983	5/27/08	82,052	7/14/08	82,535
4/10/08	48,401	5/28/08	74,052	7/15/08	84,641
4/11/08	30,629	5/29/08	75,820	7/16/08	85,369
4/12/08	35,765	5/30/08	74,657	7/17/08	84,460
4/13/08	32,991	5/31/08	95,435	7/18/08	107,669
4/14/08	28,862	6/1/08	84,634	7/19/08	108,571
4/15/08	37,168	6/2/08	95,695	7/20/08	114,270
4/16/08	36,006	6/3/08	93,305	7/21/08	83,895
4/17/08	51,084	6/4/08	73,599	7/22/08	100,685
4/18/08	41,918	6/5/08	67,840	7/23/08	123,806
4/19/08	64,400	6/6/08	78,640	7/24/08	86,243
4/20/08	59,348	6/7/08	117,108	7/25/08	127,490
4/21/08	36,252	6/8/08	120,027	7/26/08	112,755
4/22/08	40,753	6/9/08	122,915	7/27/08	117,314
4/23/08	32,098	6/10/08	127,651	7/28/08	81,881
4/24/08	35,793	6/11/08	108,354	7/29/08	99,732
4/25/08	36,523	6/12/08	111,623	7/30/08	94,420
4/26/08	45,058	6/13/08	115,790	7/31/08	114,892
4/27/08	40,772	6/14/08	131,238	8/1/08	122,960
4/28/08	26,902	6/15/08	118,035	8/2/08	118,454
4/29/08	38,467	6/16/08	85,881	8/3/08	135,558
4/30/08	28,512	6/17/08	107,569	8/4/08	100,054
5/1/08	33,377	6/18/08	81,717	8/5/08	132,610

Founders Bridge Daily Water Usage

Date	Consumption (gals)	Date	Consumption (gals)	Date	Consumption (gals)
8/6/08	133,700				
8/7/08	99,390				
8/8/08	146,784				
8/9/08	138,439				
8/10/08	131,171				
8/11/08	107,807				
8/12/08	120,888				
8/13/08	136,688				
8/14/08	106,806				
8/15/08	138,961				
8/16/08	114,039				
8/17/08	134,124				
8/18/08	94,695				
8/19/08	127,979				
8/20/08	126,959				
8/21/08	130,958				
8/22/08	135,563				
8/23/08	122,284				
8/24/08	133,576				
8/25/08	108,476				
8/26/08	113,582				
8/27/08	100,584				
8/28/08	82,936				
8/29/08	73,241				
8/30/08	37,923				
8/31/08	50,184				
9/1/08	41,007				
9/2/08	54,152				
9/3/08	72,332				
9/4/08	76,261				
9/5/08	93,063				
9/6/08	78,707				
9/7/08	47,390				
9/8/08	41,601				
9/9/08	50,202				
9/10/08	83,665				
9/11/08	65,528				
9/12/08	86,373				
9/13/08	77,404				
9/14/08	104,455				



cc Bill Wright
Raehael Lumpkin
Bubba Bowles

98-0081

January 24, 2008

JAN 25 2008

Mr. Roy E. Covington, P.E.
Director
Chesterfield County, Utilities Department
P.O. Box 608
Chesterfield, VA 23832

Re: Water and Wastewater Contract between Chesterfield County and
Gray Land and Development Company, LLC

Dear Mr. Covington:

Thank you for taking the time to meet with us to discuss the water usage situation in the Powhatan County portion of Founders Bridge. To confirm our discussions at that meeting, Gray Land and Development Company, LLC ("Gray Land") will implement a water reduction plan at Founders Bridge which will reduce peak daily water consumption to the contract capacity of 180,000 gallon per day.

The plan will commence – prior to the 2008 irrigation season – with the removal of common irrigation systems at the Founders Bridge Golf Villas and the Founders Bridge Pool Complex from the potable water system. The irrigation for these areas of the project will be sourced from the Independence Golf Course. Gray Land has reached an agreement with Independence to draw water capacity from the lake adjacent to 13th hole of the golf course. The lake, one of three on the course, is not currently being used as an irrigation source. Though the lake is fed by a perennial stream, Gray Land will explore the need for a supplementary well to ensure sufficient lake levels during dry periods. As highlighted during our meeting, this measure has the potential to reduce estimated peak day usage by approximately 86,000 gallons of water per day.

As secondary measures, Gray Land will replace all companion irrigation meters within the existing Founders Bridge Single Family Area homes with meters or devices that can limit water usage to predetermined levels. These devices will be installed prior to the 2009 irrigation season. Similarly, this policy will be implemented for all remaining Founders Bridge Single Family homes yet to connect to the potable system. Further, irrigation usage within remaining open space areas will be limited to 2007 average daily usage levels. Existing irrigation control devices for these open space areas will be recalibrated to coincide with the start of the 2008 irrigation season.

Finally, Gray Land commits to the implementation of water restriction measures at Founders Bridge commensurate with official Chesterfield County policies during



Mr. Roy E. Covington, P.E.
January 24, 2008
Page 2


periods of extreme drought. A formal procedure will be drafted and circulated to customers prior to the 2008 irrigation season.

Please let me know if this does not accurately reflect our discussion and agreement. We thank you for the additional time to develop this permanent solution, and look forward to our continued successful business relationship with Chesterfield County.

Sincerely,

Russell T. Aaronson, III

cc: Charles W. Ewing, II
John E. Farrell
David P. Dempsey



Founders Bridge
2008 Water Usage Plan

Water consumption in the Powhatan Service Area of Founders Bridge continues to exceed the 180,000 gallon peak day capacity under the Water and Wastewater Contract between Chesterfield County ("Chesterfield") and Gray Land and Development Company, LLC ("Gray Land"). Based on a series of meetings held in June and October 2007, Chesterfield has requested that Gray Land purchase additional water and wastewater capacity or devise a plan for long term use reductions. At this time, Gray Land does not believe we need to purchase additional capacity from Chesterfield and will implement a water reduction plan aimed at reducing peak daily flows to the contract capacity.

Based on actual usage data, the vast majority of water consumed at Founders Bridge is allocated for irrigation. Management efforts during the 2007 irrigation season were successful in reducing peak day consumption figures but were not successful in preventing all instances in which the maximum peak day capacity was exceeded. In recognition of this fact, Gray Land will be removing – where practical – commonly used irrigation water systems from the potable water source in 2008. Further, water use restrictions will be employed on open spaces and residences where irrigation system removal from the potable system is not practical. Mechanical restrictions (i.e. flow limiting meters or devices) will be phased in over the course of 2008 and 2009.

Details of Gray Land's action plan are outlined in the three steps below. Water usage schedules for the buildout condition under the pre and post plan condition are included to highlight the merits of Gray Land's proposed strategy.

The Plan

Step 1:

Gray Land has reached an agreement with the VSGA – Independence Golf Club to access existing water capacity from the lake on Hole #13. The lake is not now utilized by Independence as an irrigation source. Gray Land will construct a pumping facility at the lake which will feed an existing irrigation transmission line running adjacent to the lake. Capacity generated from the development of this lake source will be made available to Gray Land. Gray is currently working with Independence to determine the optimal tap location(s) for new infrastructure that will bridge the gap between the course's irrigation system and the existing community based irrigation systems in four sections of the Founders Bridge Villas and at the Founders Bridge Pool Complex.

Goal: The Founders Bridge Villas will be off the potable system prior to the start of the 2008 irrigation season. The Pool Complex will be offline by July 2008.

At 2007 estimated peak day usage figures, removing these irrigated areas from the potable system has the potential to reduce consumption of Chesterfield supplied water by 86,000 gallons per day. According to Dan Taylor, Head Superintendent at Independence, the lake on Hole #13 has a 5.8 million cubic gallon capacity. Draw downs to supply Founders Bridge are not a concern.

Step 2:

Open space areas – namely open spaces at two entry features and within two cul de sacs – are prime areas where excess consumption can be limited. Landscaping within these areas is now mature enough to thrive without supplemental water. Gray Land will limit irrigation usage at these areas to their average GPD consumption during the peak billing 60 day period of 2007. This usage figure represents a conservative starting point and could be adjusted downward during the irrigation season based on plant health. These restrictions are readily achieved by recalibrating existing irrigation controllers. Access to controllers will be limited to authorized personnel.

Goal: Irrigation controls at the highlighted open spaces will be recalibrated prior to the start of the 2008 irrigation season. The benchmark usage for 2008 will be set at 2007 average GPD usage.

Step 3:

Following the 2008 irrigation season, Founders Bridge Utility Company will begin replacing or augmenting existing companion irrigation meters with meters or devices that can mechanically restrict or stop water flow. Capacity allocations per home will be developed based on actual 2008 usage data. Buildout figures (which assume estimated 2007 peak day conditions) suggest that consumption objectives of limiting these homes to 535 GPD for irrigation purposes can be achieved through the implementation of these three steps.

Goal: Immediately (2008) implement new companion irrigation meter policy for the remaining 26 Founders Bridge Single Family homes yet to hook to the potable system. Prior to the 2009 irrigation season, all existing companion meters will be replaced with meters or devices that can mechanically restrict or stop flow. Flow rates will be set according.

Note: As a contingency measure, Gray Land has performed a study of groundwater hydrology in the area surrounding the Founders Bridge Villas. Five sites have been identified as potential sources of irrigation water (i.e. wells). These sites have not been explored but could stand as possible backup sources of non-potable water should the need arise.

Founders Bridge/Sowers Water Usage
Full Buildout Scenario
Assume 2007 Conditions

Domestic Use:

	Units	Average GPD/unit ⁽¹⁾	Average GPD ⁽²⁾	Potential Peak Day ⁽³⁾
Founders Bridge				
Villas	117	107	12,519	12,519
Single Family	83	178	14,774	14,774
			27,293	27,293
Sowers				
Founders Bridge Villas	10	107	1,070	1,070
Belle Crest Single Family	110	178	19,580	19,580
			20,650	20,650
			<i>Subtotal Domestic</i>	<i>47,943</i>
				<i>47,943</i>

Irrigation Use:

FB Villas			51,667	74,917
FB Single Family	83	934	77,522	112,407
Pool Complex			11,030	15,994
FB - Orleans Entry			3,408	4,942
FB - Orleans cul de sac			600	870
FB - Club Villa cul de sac			1,610	2,335
			<i>Subtotal Irrigation</i>	<i>145,837</i>
				<i>211,464</i>

Commercial Use:

VSGA - Independence Golf			7,347	7,347
Sowers Commercial			48,750	48,750
			<i>Subtotal Commercial</i>	<i>56,097</i>
				<i>56,097</i>

Other Use:

FB Pool Complex			3,818	5,536
FB Sales Center			72	72
			<i>Subtotal Other</i>	<i>3,890</i>
				<i>5,608</i>

Total Founders Bridge			177,020	244,365
Total Sowers			69,400	69,400
Total VSGA - Independence Golf			7,347	7,347

Total Service Area 253,767 321,112

⁽¹⁾ 2007 daily averages

⁽²⁾ average GPD of the peak 60 day billing cycle in 2007

⁽³⁾ Peak Day = Avg. GPD x 145%

Note: all data sourced from Sydnor Hydrodynamics and Chesterfield County

Founders Bridge/Sowers Water Usage
 Full Buildout Scenario
 Assume New VSGA/Golf Villa Irrigation System
 and Targeted Irrigation Restrictions

Domestic Use:

	Units	Average GPD/unit ⁽¹⁾	Average GPD ⁽²⁾	Potential Peak Day ⁽³⁾
Founders Bridge				
Villas	117	107	12,519	12,519
Single Family	83	178	14,774	14,774
			27,293	27,293
Sowers				
Villas	10	107	1,070	1,070
Belle Crest Single Family	110	178	19,580	19,580
			20,650	20,650
			<i>Subtotal Domestic</i>	<i>47,943</i>

Irrigation Use:

FB Villas			51,667	74,917
FB Single Family	83	535	44,405	64,387
Pool Complex			11,030	16,094
FB - Orleans Entry			3,408	3,408
FB - Orleans cul de sac			600	600
FB - Club Villa cul de sac			1,610	1,610
			<i>Subtotal Irrigation</i>	<i>50,023</i>

Commercial Use:

VSGA - Independence Golf			7,347	7,347
Sowers Commercial			48,750	48,750
			<i>Subtotal Commercial</i>	<i>56,097</i>

Other Use:

FB Pool Complex			3,818	5,536
FB Sales Center			72	72
			<i>Subtotal Other</i>	<i>3,890</i>

Total Founders Bridge			81,206	102,906
Total Sowers			69,400	69,400
Total VSGA - Independence Golf			7,347	7,347
			<i>Total Service Area</i>	<i>157,953</i>
				<i>179,653</i>

158 x 1.5 = 240,000

⁽¹⁾ 2007 daily averages

⁽²⁾ average GPD of the peak 60 day billing cycle in 2007

⁽³⁾ Peak Day = Avg. GPD x 145%

Note: all data sourced from Sydnor Hydrodynamics and Chesterfield County

Chesterfield VA

system status: All Clear DDM 0:00 LA CST 1/10/08
Data Reports Main Configure

		Total	Month to Date	Yesterday
Main	01-10 06:00	41774.60 KGal	8.19 KGal	0.53 KGal
Bypass	01-10 06:00	9472.13 KGal	171.85 KGal	16.49 KGal
	Total	51246.73 KGal	180.04 KGal	17.02 KGal

systemstatus: All Clear. [DBM 9:00am CST 1/4/2008]

Chesterfield VA

Data Reports Main Configure

Chesterfield VA


Reports Directory

Name	Last Modified	Size
<input type="checkbox"/> [x] ...	01-Nov-2007 08:15	6K
<input type="checkbox"/> [x] ...	01-Dec-2007 08:15	6K
<input type="checkbox"/> [x] ...	01-Jan-2008 08:15	6K
<input type="checkbox"/> [x] ...	10-Jan-2008 08:15	5K
<input type="checkbox"/> [x] ...	10-Jan-2008 05:40	5K
<input type="checkbox"/> [x] ...	01-Nov-2007 08:15	6K
<input type="checkbox"/> [x] ...	01-Dec-2007 08:15	6K
<input type="checkbox"/> [x] ...	01-Jan-2008 08:15	6K
<input type="checkbox"/> [x] ...	10-Jan-2008 08:15	5K
<input type="checkbox"/> [x] ...	10-Jan-2008 05:40	6K

Right click on file name for options to print or open in a new window.

Chesterfield VA

Main Daily Usage




Date/Time	Total KGal	Usage KGal
2008-01-10 12:00 AM	41775	0.53
2008-01-09 12:00 AM	41774	1.01
2008-01-08 12:00 AM	41773	0.65
2008-01-07 12:00 AM	41772	0.55
2008-01-06 12:00 AM	41772	1.38
2008-01-05 12:00 AM	41770	1.02
2008-01-04 12:00 AM	41769	0.75
2008-01-03 12:00 AM	41769	1.19
2008-01-02 12:00 AM	41768	1.11
2008-01-01 12:00 AM	41766	1.47
2007-12-31 12:00 AM	41765	0.98
2007-12-30 12:00 AM	41764	2.02
2007-12-29 12:00 AM	41762	1.87

system status: All Clear. [DBM 9:00am CST 1/4/2008]

Data Reports Main Configure

Chesterfield VA

Bypass Daily Usage



Date/Time	Total KGal	Usage KGal
2008-01-10 12:00 AM	9471	16.95
2008-01-09 12:00 AM	9454	18.09
2008-01-08 12:00 AM	9436	18.58
2008-01-07 12:00 AM	9417	18.13
2008-01-06 12:00 AM	9399	19.59
2008-01-05 12:00 AM	9379	17.62
2008-01-04 12:00 AM	9362	20.28
2008-01-03 12:00 AM	9342	21.41
2008-01-02 12:00 AM	9320	22.80
2008-01-01 12:00 AM	9297	22.14
2007-12-31 12:00 AM	9275	20.68
2007-12-30 12:00 AM	9254	22.24
2007-12-29 12:00 AM	9232	23.67